

**IC-F3163/IC-F4163T/S 512 Channels, 5W Handheld Transceiver. Comes with BP232N, 2000mAh Built in LTR trunking capability and Voice Scrambler & IDAS Upgradeable  
\*NOTE: Battery Charger to be Ordered Separately**

IC-F3163 VHF Simple Version

IC-F3163S VHF 138-174MHz 12.5/25kHz

F3163T VHF Keypad Version

IC-F3163T VHF 138-174MHz 12.5/25kHz

IC-F4163S UHF Simple Version

IC-F4163S-L 400MHz to 470MHz Band, 12.5kHz &/or 25 kHz Spacing

IC-F4163S-H 450MHz to 520MHz Band, 12.5kHz &/or 25 kHz Spacing

IC-F4163 UHF Keypad Version

IC-F4163T-L 400MHz to 470MHz Band, 12.5kHz &/or 25 kHz Spacing

IC-F4163T-H 450MHz to 520MHz Band, 12.5kHz &/or 25 kHz Spacing

### **Chargers**

BC160 Single drop-in rapid charger with BC145SV (no adaptor required )

BC171 Single drop-in charger with BC145SV (approx 10 hrs)

AD106 Adaptor for charging BP232N with BC119N

BC119N Single rapid charger with BC145SV (req AD106 for BP232N)

BC145SV AC adaptor for use with BC160, BC119N

BC121N 6 way rapid charger (req 6 x AD106 + BC157S or OPC-656)

BC157S AC power supply for use With BC121N

CP17L 12V cigarette lighter socket for charging BC119N

OPC-515L DC cord for charging BC119N using external power (13.8V)

OPC-656 DC power cable for use with BC121N

### **Battery**

BP232N Li-Ion 7.4/2000mAh battery (as supplied)

BP240 Battery case ( 6X AA cells)

BP261 Battery case (6xAAA cells)

BE231/232 Battery eliminator

### **Remote Audio Options**

AD52 Earphone jack adapter

HM168 Compact waterproof microphone (IPX7)

HM169 Rugged waterproof microphone (IP57)

HM170GP GPS speaker microphone (IP57 waterproof)

HS94 Earhook headset with flexible boom microphone

HS95 Behind-the-head headset with flexible boom microphone

HS97 Throat microphone. Fits around your neck and picks up speech vibration

### **Remote Audio Options Continued**

VS1SC VOX PTT for HS94, HS95, HS97, 90 degree entry

SP13 Earphone req AD52

WPNCM-I2C Multi pin noise cancelling remote speaker microphone, 90 degree entry

WPRSM-I2C Multi-pin compact remote speaker microphone, 90 degree entry

### **Voice Privacy Options**

UT109R Non-rolling type voice scrambler unit. 40-pin

UT110R Rolling type voice scrambler unit. 40-pin

### **Man Down Unit**

UT124R Man down unit. 40-pin type

### **Antenna**

FASC55V VHF flexible antenna, 146-174MHz [red]

FASC56VS VHF stubby antenna, 150-162MHz [red]

FASC57VS VHF stubby antenna, 160-174MHz [green]

FASC61VC VHF cut type antenna, 136-174MHz

FASC73US UHF stubby antenna, 450-490MHz [red]

FASC25U UHF flexible antenna, 400-430MHz [green]

FASC57U UHF flexible antenna, 430-470MHz [red]

FASC72U UHF flexible antenna, 470-520MHz [blue]  
FASC61UC UHF cut type antenna, 380-520MHz

**Programming Equipment**

CS-F3160 Dealer programming software for IC-F3163T/S  
OPC-966 RS232 programming cable  
OPC-966U USB programming cable

**Carry Cases**

**Full Keypad Type (with Window)**

LC3060C Leather case with belt clip  
LC3060S Leather case with swivel  
NC3060C Nylon case with belt clip  
NC3060S Nylon case with swivel

**Chest Pack**

CPK2362 Durus nylon universal chest pack, suits all Icom handhelds  
CPK2362SY Reflective safety strap, yellow  
CPK2362SO Reflective safety strap, orange  
YACSAC/CS Shoulder harness with chest strap for handheld

**Belt clips**

MB93 Belt clip with swivel  
MB94 Alligator type belt clip  
MB96F Fixed type leather belt hanger  
MB96N Swivel type leather belt hanger

**Digital Option**

UT126H Digital unit. Provides 6.25kHz digital capability

| **Battery, Belt Clip & Antenna.**

»